

Vegetable Slicer TRS Vegetable Bench Cutter with Ejector





600247 (TRSC)

Vegetable Cutter for restaurant and caterers handling up to 300 meals with an hourly output up to 400 kg. With ejector and grey plastic Base

600399 (TRS3C)

Vegetable Cutter for restaurant and caterers handling up to 300 meals with an hourly output up to 400 kg. With ejector and grey plastic Base

Short Form Specification

Item No.

Universal vegetable preparation machine for 80 different types of cuts. Plastic casing. Removable cover and feed arm in polished cast aluminium with incorporated magnetic safety device which only allows the cutter to operate if the hopper is closed. No volt release system. Self braking motor.

Main Features

- Base inclined at 20° to provide easy loading and unloading.
- Complete and wide selection of blades and grids available (diam. 205 mm).
- Automatic restart of the machine with the halfmoon lever in position.
- Continuous feed model.
- Hopper easily removed for cleaning.
- Magnetic safety system and motor brake. Prevents machine from running when lever swings away or is open.
- Vegetable slicer with slicing, grating, shredding (julienne) as well as dicing and French fries cutting capability.
- Suitable for 100-300 meals for table service and up to 600 meals for catering service.
- Ergonomically design to work frontally and to reduce the working space around the machine.
- Delivered with: polished cast aluminium vegetable preparation attachment with a lever-integrated long vegetable hopper (52mm diameter) and a large half moon hopper (154x77mm).
- Plate speed at 340 RPM for precise cutting, slicing and dicing.

Construction

- Power: 370 watts.
- Compact and portable design.
- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.
- IP55 waterproof ON/OFF buttons, IP24 throughout the entire machine.

APPROVAL:





Vegetable Slicer TRS Vegetable Bench Cutter with Ejector

	Optional Accessories	DNC /50077			Aluminum pressing/slicing disc with straight blades 10 mm - for dicing	PNC 650115	
	Stainless steel shredding disc with S- blades 4x4 mm				Aluminum pressing/slicing disc with straight blades 8 mm - for dicing	PNC 650116	
•	Stainless steel shredding disc with S- blades 6x6 mm (can also be used for French fries)	PNC 650078			Stainless steel shredding disc with S- blades 2x8 mm	PNC 650158	
•	Stainless steel shredding disc with S- blades 8x8 mm (can also be used	PNC 650079		•	Stainless steel shredding disc with S-blades 2x10 mm	PNC 650159	
•	for French fries) Stainless steel shredding disc with S- blades 10x10 mm (can also be used	PNC 650080		•	Stainless steel pressing/slicing disc with S-blades 10 mm (can be used for slicing or combined with grids)	PNC 650160	
•	for French fries) Stainless steel pressing/slicing disc	PNC 650081			Stainless steel pressing/slicing disc with S-blades 12 mm (can be used for slicing	PNC 650161	
	with S-blades 0,6 mm (can be used for slicing or combined with grids)			•	or combined with grids) Stainless steel pressing/slicing disc with corrugated S-blades 8 mm (can be	PNC 650162	
•	Stainless steel pressing/slicing disc with S-blades 1 mm (can be used for slicing or combined with grids)	PNC 650082			used for slicing or combined with grids)		
•	Stainless steel pressing/slicing disc with S-blades 2 mm (can be used for slicing or combined with grids)	PNC 650083			Stainless steel pressing/slicing disc with corrugated S-blades 10 mm (can be used for slicing or combined with grids)	PNC 650164	
•	Stainless steel pressing/slicing disc with S-blades 3 mm (can be used for slicing or combined with grids)	PNC 650084			Stainless steel pressing/slicing disc with S-blades 13 mm (can be used for slicing or combined with grids)	PNC 650165	
•	Stainless steel pressing/slicing disc with S-blades 4 mm (can be used for slicing or combined with grids)	PNC 650085			Stainless steel shredding disc with S- blades 2x2 mm	PNC 650166	
•	Stainless steel pressing/slicing disc with S-blades 5 mm (can be used	PNC 650086	_		Stainless steel shredding disc with S-blades 3x3 mm	PNC 650167	
•	for slicing or combined with grids) Stainless steel pressing/slicing disc with S-blades 6 mm (can be used	PNC 650087		•	Set of 4 stainless steel discs (2mm and 5mm slicing pressing discs, 2mm and 7mm grating discs)	PNC 650178	
•	for slicing or combined with grids) Stainless steel pressing/slicing disc with S-blades 8 mm (can be used	PNC 650088			Set of 7 stainless steel discs (2mm, 5mm and 10mm slicing pressing discs, 2mm and 7mm grating discs, 4x4mm shredding disc, 10x10mm dicing grid)	PNC 650179	
	for slicing or combined with grids)		_		Table with shelf and 1/1 GN tray	PNC 653180	
•	Stainless steel pressing/slicing disc with corrugated S-blades 2 mm (can be used for slicing or combined with grids)	PNC 650089	_	•	Stainless steel work table with folding shelves and disk rack for TRK, TRS and TR210 table top models	PNC 653283	
•	Stainless steel pressing/slicing disc	PNC 650090		•	Dicing grid 5x5 mm	PNC 653566	
	with corrugated S-blades 3 mm (can			•	Dicing grid 8x8 mm	PNC 653567	
	be used for slicing or combined with				Dicing grid 10x10 mm	PNC 653568	
	grids)					PNC 653569	
•	Stainless steel pressing/slicing disc	PNC 650091			5 5		
	with corrugated S-blades 6 mm (can				Dicing grid 20x20 mm	PNC 653570	
	be used for slicing or combined with				Grid for chips 6x6 mm	PNC 653571	
	grids)	D) 10 (50000	_		Grid for chips 8x8 mm	PNC 653572	
•	Bistrot Pack-set stainless steel discs	PNC 650092			Grid for chips 10x10 mm	PNC 653573	
	(2mm and 5mm slicing pressing			•	Stainless steel grating disc 2 mm	PNC 653773	
	disc, 2mm grating disc)	DNIC / 50007			Stainless steel grating disc 3 mm	PNC 653774	
•	Gastronomy Pack-set stainless steel	PNC 650093			Stainless steel grating disc 4 mm	PNC 653775	
	discs (2mm, 5mm and 10mm slicing pressing discs, 2mm grating disc,				Stainless steel grating disc 7 mm	PNC 653776	
	4x4mm shredding disc, 10x10mm						
	dicing grid)				Stainless steel grating disc 9 mm	PNC 653777	
	Set of 3 stainless steel discs for Pizza	PNC 650107		•	5 5	PNC 653778	
	(2mm and 4mm pressing/slicing discs with S-blades, 7mm grating disc)	1110 000107		•	and bread Stainless steel grating disc for parmesan and bread	PNC 653779	
•	Cleaning tool for TRS, TRK & TR210 5-8-10 mm dicing grids	PNC 650110					
•	Dicing set 10X10X10MM (10mm aluminum slicing pressing disc with 205mm diam. and 10mm grid)	PNC 650112					














Vegetable Slicer TRS Vegetable Bench Cutter with Ejector





El = Electrical inlet (power)



Electric

Supply voltage:

600247 (TRSC) 220-240 V/1N ph/50 Hz 220-240/380-415 V/3

600399 (TRS3C) ph/50/60 Hz

Electrical power max.: 0.37 kW
Total Watts: 0.37 kW

Capacity:

Performance (up to): 400 - kg/hour

Key Information:

External dimensions, Width: 246 mm
External dimensions, Depth: 557 mm
External dimensions, Height: 466 mm
Shipping weight: 20 kg







